


Chemistry 250A -- Exam #1 -- September 23, 2008


(There are 5 pages.)

1. (15 pts) Show the major product(s) from the following acid-base reactions. If there is no reaction then say "No Reaction".


a)





b)






c)



d)




2. (3 pts) Circle the compound that is most soluble in water.




3. (20 pts) Rank the following compounds according to the indicated property.

c) acidity




_____ > _____ > _____ > _____
 most acidic least acidic

b) basicity




_____ > _____ > _____ > _____
 most basic least basic

c) relative importance of resonance structures




_____ > _____ > _____ > _____
 most important least important

d) boiling point



_____ > _____ > _____ > _____
 highest boiling point lowest boiling point

4. (16 pts) Amoxicillin (shown below) is a widely-prescribed antibiotic that is active against a variety of bacteria.




- Identify the functional groups in amoxicillin. (I've done one for you.)
- Put an asterisk by all sp^2 hybridized carbon atoms.
- Provide the approximate value for the indicated bond angle.
- Although this is the structure that is usually drawn for amoxicillin (e.g., see Wikipedia), it is not accurate. Considering what you know about the acid-base properties of the functional groups in Amoxicillin, draw a more accurate representation.

5. (10 pts) Allene has the structure $H_2C=C=CH_2$.

- Draw an accurate 3D structure of allene. (Hint: It is not planar.) On this structure show the p-orbitals and how they overlap to form the pi bonds in allene. Clearly indicate the 3D orientation of the p-orbitals relative to the atoms in the molecule and to each other.
- Label the hybridization on each carbon atom.
- What are the approximate CCC and HCH bond angles?

6. (24 pts) The reaction of butyllithium with diisopropylamine produces LDA, a commonly used base in organic reactions.




Diisopropylamine

a) Redraw butyllithium and diisopropylamine showing all atoms, bonds, lone pairs, and non-zero formal charges explicitly.

b) Use **curved arrows** to show the reaction of butyllithium with diisopropylamine to form LDA and butane. (Draw a complete Lewis structure for LDA.)

c) Provide a brief rationale for why this reaction is favorable.


d) LDA undergoes an acid-base reaction with acetone to produce an enolate. Use curved arrows to show this reaction. Draw a full Lewis structure for the product and use curved arrows to find other important resonance forms. Circle the most important resonance form.



e) Provide a brief rationale for why the reaction of acetone with diisopropylamine is favorable.

f) Draw an accurate 3D structure of the enolate of acetone and, using dashed lines to represent partial bonds and deltas to represent partial charges, depict the structure of the "resonance hybrid".

g) Is trichloroacetone more or less acidic than acetone? Briefly explain.



7. (12 pts) Draw complete Lewis structures for the molecules indicated below. **Show all atoms, bonds, lone pair electrons, and non-zero formal charges.**

a) Nitric acid (HNO_3). (Hint: There will be formal charges.)

b) Draw 3D-accurate Lewis structures for the three stable isomers with the formula $\text{C}_2\text{H}_2\text{Cl}_2$. Show all lone pairs. Circle the isomer that has no dipole moment. For the other two, show the direction of the net dipole moment.